

# CATALOGUE

FOOD SAFETY IS EVERYTHING!

2022



  
**vodaclean**  
*Beyond Clean*

  
**Vikan**  
ADVANCING HYGIENIC CLEANING

 **Pescatech**<sup>®</sup>  
FOOD SAFETY IS EVERYTHING

## VALUED CLIENTS



# INDEX

## GENERAL INFORMATION

About Us	4
Our Resources	6
Go-to Hub of Info	7
Our Specialist Partners	128
FAQ	130
Vikan Zone Planner	132



## VIKAN HYGIENE SOLUTIONS

Brushes	12
UST Hand Brushes	14
Pipe Cleaners	16
Tube Cleaners	18
Pastry Brushes	20
Mixers, Scrapers & Spatulas	22
Sweeping Brooms	24
Scrubbing Brooms	27
Speciality Brooms	28
UST Brooms	30
Dustpan Sets	32
Squeegees	34
Condensation Solution	38
Handles	40
Extended Colour Options	44
Scoops	46
2L Measuring Jug	48
Vikan Buckets	50
Shovels, Fork & Rake	52

80



58

## STORAGE SOLUTIONS

Wall Brackets	60
Clips & Hooks	61
Tool Holder Systems	62
Locking Hoods	64
Shadow Boards	66
Shadow Board Cages	68
Case Study	70



72

## FLOOR DRAINS & CHANNELS

Blücher® Drainage Systems	72
Blücher® Pipes & Fittings	76
Endura Grease Trap	77



78

## WASHDOWN EQUIPMENT

Vikan Foam Concept	80
Waterguns	81
Hoses, Foaming, Dosing	81
Couplings	83
Central Cleaning System	84
Hose Reels	88
Hoses	90
Lances & Nozzles	91
Guns & Couplings	92
360° Hygiene Lobbies	94



104

## JANITORIAL

Vikan Window Cleaning	106
Vikan Mopping Solutions	108
IPC Bucket Trolleys	114
IPC Mopping Solutions	116

## VIKAN TRANSPORT

Commercial Vehicle Cleaning	124
Handles	126



96

## AUTOMATED HYGIENE CONTROL

Wash Basins	98
Automated Hygiene Access	98
Boot Washers	99
Crate Washers	99

100

## HEALTH & SAFETY PRODUCTS

Eyecare	102
First Aid Dispensers	102
Hand Hygiene Dispensers	103



120

## HAND DRYERS

Machflow®	120
Dualflow® Plus	121



122



# ABOUT US

The People behind Pescatech®



## ABOUT PESCATECH®

It's our passion for cleaning that sets us apart. And, after more than two decades in the game, we're still as committed to delivering the most effective and best quality cleaning solutions. As the leading importer and distributor of premium grade cleaning solutions and products in South Africa, you can rely on us to find the most technologically advanced products and brands.

TODAY, WE ARE THRILLED TO SUPPLY OVER 3 000 LOCAL AND NATIONAL CLIENTS WITH THE CLEANING SOLUTIONS AND PRODUCTS THAT THEIR COMPANIES NEED!

## A BRIGHT IDEA

The idea behind Pescatech® first came about in 1995 when we were founded as an agent for the Spanish company HRG (Hermanos Rodriguez Gomez SL), the leading manufacturer of fish processing machinery at the time. After recognising several untapped business opportunities we began to evolve.

## A CLEAN SLATE

We decided to focus on South Africa's food processing industry and branched out by taking advantage of the in-roads into the industry that we had already made, and by accumulating a large network of industry-related suppliers and agencies.

Over the years, we at Pescatech® have done more than just strive to become the leading importer and distributor of premium grade cleaning solutions and products! Today we've not only helped several of SA's biggest-name companies clean up their act by completely transforming their cleaning processes and equipment, but we're also proud to offer a range of the most technologically advanced products and brands in South Africa's food processing industry.

## DOING WHAT WE CAN TO KEEP IT CLEAN

We've made it our business to keep learning about each market, as well as any and all new developments, so that we can continue to fulfil all of our clients' needs. We've travelled the globe to learn from our suppliers and applied everything we've learned to the local industry. We've drawn on our suppliers' vast experience. We encourage our suppliers' direct involvement in the South African food processing industry by facilitating annual visits to South Africa to learn first-hand about the needs of the local market.

## OUR PROMISE – WE STRIVE TO:

- Always stay up-to-date with the latest international trends.
- Assist in further developing this indispensable industry.
- Import only the best-quality products from Europe.
- Always have sufficient stock to meet all of our customers' needs.



### PRODUCT INSTALLATIONS

Our trained representatives will visit your facility to recommend where to place rails, drains, equipment and more for maximum efficiency.

### PRODUCT TRAINING

To ensure that equipment is used properly, lasts longer and works better, our trained representatives are available for on-site training.

### SITE ASSESSMENT

We will work closely with your Quality Assurance Manager to advise on the correct products to use for each application within your facility.



# OUR RESOURCES

## TO YOUR ADVANTAGE

Our Vikan Colour Codes are indicated with an "X" behind it. Here you fill in the colour you are interested in to complete your codes

7160X

- |          |          |          |
|----------|----------|----------|
| 1 Pink   | 2 Green  | 3 Blue   |
| 4 Red    | 5 White  | 6 Yellow |
| 7 Orange | 8 Purple | 9 Black  |
| 66 Brown | 77 Lime  | 88 Grey  |

Thus: The complete code for the Ultra Hygiene Squeegee 600mm in red will be 71604



Our Facebook page gives you the latest campaigns and updates on all tools and company news



Our Instagram page showcases the latest short and sweet of what you need to see



Our YouTube Channel consist of a library of videos that showcases best practices, latest technology and installation guidelines



Connect with us via our LinkedIn Profile and get expert information first hand



Find our Quick Bot on our Home page and make direct and immediate contact with us.



**PESCATECH.CO.ZA**

Throughout our catalogue you will find QR codes related to the products with useful and elaborate information. Open your smart phone camera, scan and navigate to learn so much more.

## OUR WEBSITE

Find our products and all their details online. Read in-depth articles and industry news. Read more about our quality accredited international partners.



## THE GO-TO HUB OF INFORMATION

## OUR PRODUCTS

Browse our products categorized for easy navigation. Find images, related products, colour options, datasheets and whitepapers on applicable products



VIKAN HYGIENE



STORAGE SOLUTIONS



FLOOR DRAINS



WASHDOWN EQUIPMENT



AUTOMATED HYGIENE



HEALTH AND SAFETY



JANITORIAL



BATHROOM



VIKAN TRANSPORT



INDUSTRY KITS

## GENERATE YOUR OWN QUOTE

Our website is not an online shopping portal but you can add all your desired products to quote and it will be sent directly to us to process your order.

## OUR NEWS SECTION

Here you can find and subscribe to our recently posted newsletters and also find the elaborated version of our facebook posts, social responsibilities, articles and more.

# VIKAN HYGIENE SOLUTIONS



## CHAPTER

# 02

Brushes	12
UST Hand Brushes	14
Pipe Cleaners	16
Tube Cleaners	18
Pastry Brushes	20
Mixers, Scrapers & Spatulas	22
Sweeping Brooms	24
Scrubbing Brooms	27
Speciality Brooms	28
UST Brooms	30
Dustpan Sets	32
Squeegees	34
Condensation Solution	38
Handles	40
Extended Colour Options	44
Scoops	46
2L Measuring Jug	48
Vikan Buckets	50
Shovels, Fork & Rake	52

### QUICK FACTS

- ✓ Professional Cleaning Tools
- ✓ Made in Denmark
- ✓ Ergonomic Design
- ✓ Robust & Durable
- ✓ Long Lifespan
- ✓ Designed for Industry Use
- ✓ HACCP Compliant
- ✓ Easy to Clean
- ✓ Available in 12 Colours
- ✓ Easy to Handle



VIKAN HYGIENE








## WHAT MAKES VIKAN EXCEPTIONAL

- ✓ Available in 12 colours
- ✓ HACCP compliant
- ✓ Innovative, durable, robust, ergonomic and designed for industry use
- ✓ Long lifespan and easy to clean
- ✓ Online training session available on website
- ✓ Online catalogue generator
- ✓ Comprehensive product documentation (white papers) for audits
- ✓ Hygienic Zone planner to map out your factory

## COLOUR CODING BY ZONE

Designate colours to zones in order to differentiate the tools and equipment that belong to each zone. This can help with many things – from the prevention of contamination to proper organisation and storage of tools – and helps keep employees accountable for the tools in their work zone.



**VIKAN COLOUR CODING**



# BRUSHES

VIKAN HYGIENE SOLUTIONS



X = 1 2 3 4 5 6 7 8 9 66 77 88

## DISH BRUSH


**4237x** | 280mm

(M)



## UTILITY BRUSH


**3088x** | 260mm

(M)



## SHORT HANDLED BRUSH


**4192x** | 270mm

(H)



## WASHING BRUSH


**4186x** | 415mm

(H)



## NARROW BRUSH


**4195x** | 300mm

(H)



The washing brush features a short, ergonomic handle for easy and effective daily cleaning and is ideal for removing stubborn dirt from conveyor belts, production lines and machinery.



HAND BRUSHES

## HAND BRUSH


**3890x** | 200mm

(H)



## ROUND SCRUB BRUSH


**3885x** | ø110mm

(H)



## DETAIL BRUSH


**4401x** | 205mm

(H)



## DUSTPAN BRUSH


**4589x** | 330mm

(M)



## HAND BRUSH


**4587x** | 330mm

(S)



## WATERFED HAND BRUSH


**7057x** | 330mm

(H)



## NAIL BRUSH


**6440x 1** | 130 mm

(H)



## NAIL BRUSH CABLE


**6440x-L**

(H)



## NAIL BRUSH & SANITIZER KIT



Nail brush &amp; lockable cable incl. Stainless Steel

**6440x-HK**

(H)



## LONG HANDLE BRUSH



NEW

**4185x** | 420 mm

(H)



## ULTRA SLIM BRUSH



NEW


**4197x** | 600mm x 15mm

(M)



LONG HANDLE BRUSH



**4184:** Designed for cleaning sharp edged cutters, this Hand Guarded Brush protects the user's hand from blades and other sharp parts during the cleaning process.

**4288:** Designed for removing debris from heat sealers and other packing equipment, this Brush is ideal for cleaning hot grills and frying pans.

## HAND GUARDED BRUSH


**4184x** | 30mm

(M)



## HEAT RESISTANT BRUSH



Non-Food Contact / 180°C / Heat Sealer

**4288x** | 290mm

(H)


NEW  
DETAIL  
BRUSHES

GO WHERE NO OTHER BRUSH HAS BEEN

2 NEW DETAIL CLEANING BRUSHES

# UST HAND BRUSHES



UST HAND BRUSH - LONG

4196x | 395mm



UST HAND BRUSH - SHORT

4179x | 260mm



UST BENCH BRUSH

4585x | 330mm



x = 1 2 3 4 5 6 7 8 9 66 77 88



Strength Tested



Filament Security Tested



Fully Moulded



Proven Chemical Resistance



Heat/Cold Shock Tested



Functionality Tested



## Smooth Surfaces

An extremely low surface roughness (under 0.8µm) reduces the risk of contaminants sticking to the surface of the brush and makes it easier to clean.

3x

Bristle fixation is 3 times more consistent in UST brushes than in drilled & stapled brushes.\*







ø10mm

ø20mm

ø40mm

ø50mm

ø60mm

# TUBE CLEANERS

x = 1 2 3 4 5 6 7 8 9 66 77 88

TUBE CLEANER 10

TUBE CLEANER 20

TUBE CLEANER 40

TUBE CLEANER 50

TUBE CLEANER 60

H

M

H

M

M

ø10mm  
5375x

ø20mm  
5376x

ø40mm  
5378x

ø50mm  
5379x

ø60mm  
5370x

510mm

FLEXIBLE ROD BRUSH HANDLE

755mm  
53515

STAINLESS STEEL EXTENSION

785mm  
5346

FLEXIBLE NYLON HANDLE

1500mm  
53525

1500mm

Tube Brush Ø60mm (53515) with Flexible Handle 200mm (53525)

This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525

M FLEXIBLE ROD BRUSH 12  
ø12mm - 200mm | uses 5351  
5354x



M FLEXIBLE ROD BRUSH 60  
ø60mm - 200mm | uses 5351  
5356x



M FLEXIBLE ROD BRUSH 90  
ø90mm - 200mm | uses 5351  
5391x



# PASTRY BRUSHES

VIKAN HYGIENE SOLUTIONS

Comfortable to hold because of the rounded handle with easy-grip edges and available in widths of 30mm, 50mm or 70mm wide to suite a wide range of application needs.



Pastry Brush 30 - 5552304



PASTRY BRUSH 30  
555230x | 30mm  
● ● ● ● ●  
S

PASTRY BRUSH 50  
555250x | 50mm  
● ● ● ● ●  
S

PASTRY BRUSH 70  
555270x | 70mm  
● ● ● ● ●  
S




PASTRY BRUSHES

The very thin and soft bristles facilitate ease of applying e.g. marinade, egg and icing etc. Alternatively the brush can be used for detail cleaning.



x= 1 2 3 4 5 6 7 8 9 66 77 88

Specially designed for traditional sundae machines, this brush kit features an assortment of brushes in various diameters for the effective cleaning of hard-to-reach areas.



MILKSHAKE BRUSH KIT - 9 PIECE  
53575 | Only available as a set  
○

Black brush used for the rear shell bearing is non-food contact thus should not come into contact with food.





# MIXERS, SCRAPERS AND SPATULAS

x= 1 2 3 4 5 6 7 8 9 66 77 88



## MIXER WITH HOLES



**7012x** | 80°C / 1200mm

○

## MIXER WITH HOLES

Metal detectable tools available in green, red, white and yellow on request.



**7014x** | 80°C / 1200mm

●

## MIXER



**7007x** | 170°C / 890mm

○

## MIXER



**7009x** | 170°C / 1190mm

○

## TABLE & FLOOR SCRAPER



**2910x** | 260mm | SS

● ● ● ● ● ●

## TABLE & FLOOR SCRAPER



**2912x** | 270mm | Nylon

○

## HAND SCRAPER (SS)



NEW

**4009x** | 100mm

● ● ● ● ● ● ● ● ● ●

## THREADED SCRAPER (SS)



NEW

Vikan handles can be attached  
**4011x** | 100mm

● ● ● ● ● ● ● ● ● ●

## HAND SCRAPER (NYLON)



**4013x** | 105mm

● ● ● ● ● ● ● ● ● ●

## HAND SCRAPER



**4060x** | 75mm

● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●

## HAND SCRAPER



**4051x** | 165mm

● ● ● ● ● ● ● ● ● ●

## PADDLE SCRAPER BLADE



**7011x** | 220mm - Solid

○



**THREADED STAINLESS STEEL SCRAPER**



Great for removing hard-to-reach sticky deposits and dried or burnt-on foods or ingredients, this Scraper features a stainless flex steel blade with protective rounded corners, a high-strength attachment, and a threaded handle that fits any Vikan colour-coded extension handle.

Threaded Scraper | 100mm  
(Stainless Steel)  
40113



# SWEEPING BROOMS

Designed to sweep environments where hygiene and efficiency are essential.

## **S** **M** LOBBY BROOM 3104x | 260mm

Easily clean the narrow spaces between production line equipment with this Lobby Broom. Ideal for sweeping dry areas, perfect for use with a lobby pan, and can be used with any Vikan handle.



## **M** LOBBY BROOM ANGLE CUT 3105x | 260mm

The broom head is manufactured with two different bristle diameters to give a smooth and even sweeping effect for both dry and moist debris. The angle cut trimming offers an ergonomic sweeping position.



x= 1 2 3 4 5 6 7 8 9 66 77 88

Available in a variety of bristle options to accommodate cleaning and sanitation efforts.



## **M** SWEEPING BROOM 7068x | 300mm

Effectively remove medium dirt-and-food particles in both dry and damp environments with this sturdy broom, ideal for use in smaller food production areas. Can be used with any Vikan handle.



## **M** STRAIGHT NECK BROOM 3166x | 310mm

Ideal for cleaning between machines and under tables, this Straight-Necked Broom easily removes dust, paper and food particles such as fish and meat.



## **H** YARD BROOM 2915x | 330mm

Remove heavy and larger particles from wet indoor and outdoor surfaces with this Heavy-Duty Broom. Can be used with any Vikan handle.



# SWEEPING BROOMS



**S** SWEEPING BROOM  
3179x | 410mm



This broom is designed to effectively sweep flour, starch and other powders from dry areas. Can be used with any Vikan handle.

**S** SWEEPING BROOM LARGE  
3199x | 610mm



**SH** 2-PHASE SWEEPING BROOM LARGE  
3174x | 410mm



This broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.

**SH** 2-PHASE SWEEPING BROOM LARGE  
3194x | 610mm



# SCRUBBING BROOMS



**H** DECK SCRUB, WATERFED  
7041x | 270mm



Easily clean heavily soiled areas such as abattoirs and meat processing plants with this rugged waterfed Deck Scrub, featuring highly-effective water distribution.

**H** WALL-/FLOOR WASHING BRUSH  
7060x | 305mm



This Washing Brush is ideal for cleaning tiled floors in food preparation areas. Can be used with any Vikan handle.



**M** HI-LOW BRUSH  
7047x | 265mm



Effectively clean and scrub floor-wall junctions and under machines and equipment with this High-Low Brush, featuring an angled thread that lets you use the brush with the handle positioned parallel to the floor. Also ideal for cleaning drains and gulleys.



**H** WALL-/FLOOR WASHING BRUSH  
7062x | 470mm



This large Washing Brush is great for cleaning all types of floor surfaces, including epoxy, tiles and cement. Can be used with any Vikan handle.





# SPECIALITY BROOMS



CREVICE SCRUB



## H CREVICE SCRUB 7040x | 225mm



Effectively clean beneath and between machines and equipment with this angle-adjustable Crevice Scrub that can even be used with the handle parallel to the floor. The arrow-shaped filaments reach into small cracks and crevices, while a middle row of stiff filaments provides high scrubbing efficacy.

## H HEAT RESISTANT GRILL BRUSH 4753x | Use with 2966

Food Contact /100°C  
150mm / Grill Tops



Easily clean grills and hot surfaces with this highly effective Scrubbing Brush with heat resisting filaments.

x= 1 2 3 4 5 6 7 8 9 66 77 88



## PAD HOLDER, WATERFED 5500x | 235 x 100mm



Secure cleaning pads with a lockable Pad Holder. It can be used with any Vikan handle, enabling users to safely clean floors, under equipment, stainless steel mezzanines, and white PVC walls.



PAD HOLDER  
WITH SCRUB



## SF S WALL WASHING BRUSH 7067x | 240mm



Easily remove dust and dirt from high level, difficult-to-reach areas with this fully adjustable waterfed Washing Brush, ideal for a variety of cleaning tasks. Features split fibre bristles that retain water to improve cleaning efficacy. Can be used with any Vikan handle.



SOFT PAD  
5525 | 245 x 125mm



MEDIUM PAD  
5530 | 245 x 125mm



HARD PAD  
5523 | 245 x 125mm





# UST BROOMS



**S** UST BROOM  
3171x | 400mm

This ULTRA SAFE TECHNOLOGY (UST) Broom comes with angled Filament Security Units for effective sweeping of dry particles in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.



**M** UST BROOM  
3173x | 400mm



**H** UST DECK SCRUB  
7064x | 400mm

This ULTRA SAFE TECHNOLOGY (UST) Deck Scrub comes with angled Filament Security Units for effective removal of stubborn dirt from both textured and smooth surfaces in high-risk areas.




- Easy to clean and dry
- Smooth surface finish
- FDA and EU compliant
- Strong and durable
- Easy visual inspection
- No acute internal angles
- High cleaning efficacy
- Light construction
- No metal staples or resin
- Good filament security
- Fully tested and documented



x= 1 2 3 4 5 6 7 8 9 66 77 88

## Bristle bundles vs individual moulding

With traditional brushes, the bristles are attached to the brush head in bundles using staples or resin. After a certain amount of wear, these bristles start to loosen and detach. With each bristle that detaches from the bundle, the remaining bristles loosen further, increasing the risk of more bristle detachment and, potentially, product contamination.




**52%** It takes 52% more force to loosen a UST bristle than the bristles on a traditional brush.\*

Moulded to the brush head individually, UST bristles don't loosen over time. Even if a bristle is pulled from its position, it doesn't affect the remaining bristles. This added security helps protect your product quality and your business.

## Optimised bristle patterns

Each UST brush and broom features a purpose-designed, efficiency-boosting bristle pattern.



# DUSTPAN SETS

## PAN & BRUSH SET

The Dustpan features thick walls for strength, durability and ease of cleaning. The medium hand brush removes particles from conveyor belts, food preparation surfaces, tables and equipment with ease.

### DUSTPAN SET

**6089x**

**Hand Brush:** 330mm

**Dustpan:** 330mm



## DUSTPAN



### DUSTPAN

**5660x** | 330mm



## UPRIGHT DUSTPAN

The contact lip is designed for easy and efficient sweeping into the dustpan. The outer front surface has a raised area to prevent debris from falling out of the dustpan. The enlarged rear and side walls enable the dustpan to hold larger volumes of debris.

### UPRIGHT DUSTPAN

**5662x** | 1050mm (Height)

**Upright Dustpan:** 330mm

**Aluminium Handle:** 1050mm



x = 1 2 3 4 5 6 7 8 9 66 77 88



## Opening and closing the dustpan

From upright position the dustpan is easily opened by pulling the handle 30 degrees backwards.



## Close floor contact

A 320-mm contact lip that closes near the floor provides easy and efficient sweeping.

## Angle-cut broom

This ensures smooth, even and ergonomic sweeping.

## LONG HANDLED DUSTPAN SET

The dustpan is closed by pushing the handle to a vertical position and lifting the dustpan away from the floor.

The broom should be hung on the opening side of the dustpan to ensure the secure storage of the dustpan set.

### DUSTPAN SET

**5661x** | 1170mm (Height)


**Complete unit:** 1170 x 370

**Broom:** 290mm wide

**Dustpan unit:** 370 x 370mm



**NEW**





# HYGIENIC FLOOR SQUEEGEE

The double bladed hygienic floor squeegee is designed for areas where both high levels of hygiene and effective water removal are required. This squeegee can be used on all types of surfaces, including tiled and safety flooring.

The cassette can be removed easily for cleaning or replacement.

(Series 7733 for replacement blades).



Hygienic Floor Squeegee 600 - 77143

## QUICK FACTS

- ✓ Lightweight Design
- ✓ Easy to Clean
- ✓ Replaceable Cartridge
- ✓ Sweeps Solids
- ✓ Leaves Surface Dry
- ✓ Durable



Hygienic Floor Squeegee 500 - 77134

x = 1 2 3 4 5 6 7 8 9 66 77 88

## 2C SQUEEGEES

### HYGIENIC FLOOR SQUEEGEE - 500



7713x | 500mm



7733x | Replacement Cassette



### HYGIENIC FLOOR SQUEEGEE - 600



7714x | 600mm



7734x | Replacement Cassette



## CLASSIC SQUEEGEES

### FLOOR SQUEEGEE - 500



7753x | 500mm



7773x | Replacement Cassette



### FLOOR SQUEEGEE - 600





7754x | 600mm



7774x | Replacement Cassette



## Changing the Squeegee Cassette



HOW TO CLEAN  
YOUR SQUEEGEE

# ULTRA HYGIENE SQUEEGEE



## PREVENT OVER TIGHTENING

Tapered inside thread prevents over tightening of the handle when mounted.

## IMPROVED HYGIENE

Smooth and rounded surfaces providing better hygiene and easier cleaning.

## SPLASH GUARD

Hygienic integration of wing provides robustness and an effective splash guard.

## INCREASED DURABILITY

Elongated body reduces wear and tear on the ends of the rubber lip to enhance durability and efficiency.

## MORE EFFICIENT CLEANING

Very flexible rubber lip provides more effective and efficient cleaning.

## MATERIALS

Meets FDA and EU-regulations. Designed and made in Denmark and marked with glass and fork symbol on underside.

X= 1 2 3 4 5 6 7 8 9 66 77 88



This ultra-hygienic squeegee combines ultimate hygiene with effective water removal from walls, floors and tables. The rubber lip angled blade makes it easy to remove water from corners and other difficult-to-reach areas and the splash guard ensures that liquid does not spill and contaminate dried surfaces.

### ULTRA HYGIENE SQUEEGEE 600



7160x | 600mm



### ULTRA HYGIENE SQUEEGEE 500



7150x | 500mm



### HAND SQUEEGEE 250



7125x | 250mm



An ultra-hygienic single-bladed squeegee for removing excess water and food debris from food-preparation surfaces. The soft and flexible blade is fully-moulded to ensure it is easy to keep completely clean.





# CONDENSATION SOLUTION

## NO DROPS LEFT BEHIND

Clean water is a gift. Condensed water, on the other hand, is a problem in production areas. Vikan's solution deals with this problem, and increases production safety and hygiene standards.



X= 1 2 3 4 5 6 7 8 9 66 77 88



### CONDENSATION SQUEEGEE



**7716x** | 400mm



### OUTLET HOSE



Suited for Handles | 1500mm | ½"

**9441x** | 2973Q & 2991Q



### BOTTLE FOR CONDENSED WATER



Suited for Handles

**1100x** | 2973Q & 2991Q



### TELESCOPIC HANDLE

With male coupling



**2973Qx** | 1615-2780mm



## THE CONDENSATION SQUEEGEE


It has the unique ability to dispose of condensation either to the floor, into a container or from over-hanging structures and pipes. Ensuring that water does not contaminate your product and exceptional hygienic standards are upheld.



HOW TO USE THE  
CONDENSATION  
SQUEEGEE

# ULTRA HYGIENIC HANDLE

The hygienic construction of the Ultra Hygienic Handle helps achieve a higher level of hygiene in food handling and production facilities. The fully moulded construction minimises the risk of cross contamination. The handle is made from food contact compliant materials and is easy to clean and dry.



- ✓ Fully Moulded Handles
- ✓ Multi Positioning Grips
- ✓ Rounded Top for Pushing
- ✓ Ergonomic Design Combats Fatigue
- ✓ Tension Free Gripping
- ✓ Food Contact Compliant



## ULTRA HYGIENIC HANDLES

### ULTRA HYGIENIC HANDLE 17

**2964x** | 1700mm



### ULTRA HYGIENIC HANDLE 15

**2962x** | 1500mm



### ULTRA HYGIENIC HANDLE 13

**2960x** | 1300mm




### ULTRA HYGIENIC HANDLE 10

**2968x** | 1000mm




### ULTRA HYGIENIC HANDLE 65

**2966x** | 650mm



IMPROVED GRIP



ULTRA HYGIENIC  
HANDLE - 29623



X= 1 2 3 4 5 6 7 8 9 66 77 88

Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

NEW &  
IMPROVED



# HANDLES

VIKAN HYGIENE SOLUTIONS

29593 - 1500mm

29353 - 1300mm

29373 - 1500mm

5937 - 1500mm

29753 - 1575 - 2780mm

2977 - 1880 - 6000mm

MOP ONLY HANDLE

## BASIC HANDLE 15

2959x | 1500mm



Note: Basic handle unique grey colour code 18: 295918

## STANDARD HANDLE 13

2935x | 1300mm



## STANDARD HANDLE 15

2937x | 1500mm



## MOP HANDLE 15

5937x | 1500mm

Mop only handle



## TELESCOPIC HANDLE

2975x | 1575 - 2780mm

Aluminum



## TELESCOPIC HANDLE

1880 - 6000mm

2977 | FIBERGLASS

This extra-length extendible handle allows for cleaning up to approximately 7.5m. It is used for cleaning over-head pipes, tanks and walls. It is made of a fibre glass and is lightweight, making it easy to sustain long periods of cleaning.

## MINI HANDLE

2934x | 160mm



X = 1 2 3 4 5 6 7 8 9 66 77 88

2991Q5 - 1500mm

29735 - 1575-2780mm

2973Q3 - 1600-2780mm



## WATERFED HANDLE

With ½" Male Coupling

2991Qx | 1500mm



## WATERFED TELESCOPIC HANDLE

With ½" and ¾" Hose Tail

2973x | 1575-2780mm



## WATERFED TELESCOPIC HANDLE

With Male Coupling

2973Qx | 1600-2780mm



## Waterfed Handle - 2991Q5

Telescopic waterfed handles give great reachability - up to 2,78m for high to reach areas . It is also coupled with a hose to ensure proper washdown and an applicable broom.

# EXTENDED COLOUR OPTIONS



## ALLERGENS OR CHEMICALS

Instead of new colours for use on different lines within a colour coded zone, colour coded rubber bands can be placed on equipment to distinguish tools used for a particular line.

## ALLERGENS

Other colours – such as pink, orange, purple and lime – can be selected to differentiate between tools that are used with particular allergens.




## WAREHOUSE

Use more discreetly coloured tools (brown and grey) in highly visible areas such as corridors.

x= 1 2 3 4 5 6 7 8 9 66 77 88

At times, secondary colour coding may be required in your facility. If so, consider Vikan's food grade silicone bands. Available in twelve colours, the bands are suitable for all Vikan handles. Tight fit prevents water or foreign matter getting under band. Each colour is sold in a set of 5.



Need a secondary colour code for your cleaning equipment? Secondary colour coding of cleaning equipment helps distinguish it for use on different lines. These bands fits brushes, brooms and squeegee handles.



Ø 40mm



# SCOOPS




X = 1 2 3 4 5 6 7 8 9 66 77 88



HAND SCOOP  
**5677x** | 0.5L  
● ● ● ● ● ● ● ● ● ●

HAND SCOOP  
**5675x** | 1L  
● ● ● ● ● ● ● ● ● ●

HAND SCOOP  
**5670x** | 2L  
● ● ● ● ● ● ● ● ● ●



Metal detectable tools available in green, red, white and yellow on request.

HAND SCOOP  
**5668x** | 1L  
Metal Detectable  
●

HAND SCOOP  
**5667x** | 2L  
Metal Detectable  
●



IMPROVED

## ROUND BOWL SCOOP

**5682x**

Lightweight and durable, this ergonomically designed Round Bowl Scoop features a pouring spout on two sides to enable both left and right-handed users to pour from the scoop. One-piece construction eliminates areas where bacteria can be harboured, and a smooth surface allows for easy cleaning. Ideal for use in food production areas to move food ingredients, liquids, etc. The scoop's interior contains a measuring scale.



ROUND BOWL SCOOP  
**5682x** | 2L  
● ● ● ● ● ● ● ● ● ●

## 2L MEASURING JUG



2L JUG WALL BRACKET

60000 | 257 x 45 x 50mm



### Design goes hygienic

One of the most exciting developments in food-handling utensils in recent years is hygienic design. The purpose of hygienic design is to reduce the risk of products being contaminated by microbes, food debris (including allergens) chemicals and foreign bodies.



2L MEASURING JUG



2L MEASURING JUG

6000x | 225mm



Fill, measure and pour more accurately with this cleverly designed jug. Easy-to-read transparent scales on each side let you choose your unit of measurement (millilitres / UK fluid ounces / US fluid ounces). This elongated spout and optimised handle ensures easy, precise pouring, and the wide bottom ensures stability and hygienic cleaning.



- ✓ Smooth & non-porous surfaces
- ✓ Food Compliant
- ✓ Drainage hole
- ✓ Available in ML & OZ
- ✓ Precise pouring






# VIKAN BUCKETS



## MULTI FUNCTIONAL DURABILITY

Vikan buckets are designed and manufactured to safeguard the integrity of your products, facilitate productivity and workplace safety and pay for themselves many times over through superior quality and durability.

Easy-read measures ensures more accurate measurement in UK litre and US fluid ounce markings



20 Litre Bucket - 56926  
2L Round Scoop - 56826



20L BUCKET



6 LITRE BUCKET

5688x



12 LITRE BUCKET

5686x



20 LITRE BUCKET

5692x | 20L



IMPROVED

Note: Lids are individual items and should be ordered separately.

6 LITRE BUCKET LID

5689x



12 LITRE BUCKET LID

5687x



20 LITRE BUCKET LID

5693x



Safe Stacking • Drainage Hole • Snap-on Lid • Stainless Steel Handle (6L+12L)  
Easy-read Measures • Sloped Backside



## Combination Bracket for 6L, 12L, 20L Buckets. Code: 162000

This bracket allows Vikan's 6L bucket (5688) and 12L bucket (5686) to hang when filled and it can also store the Vikan 6L (5688), 12L (5686) and 20L (5692) buckets up-side-down after cleaning. A small hook on the bracket allows for lid or brush storage, ensuring optimal hygiene levels.



# ERGONOMIC SHOVELS



## Special Scraping Edge

The shovel blade has a special scraping edge to ensure easy removal of stubborn dirt and shovelling from the floor.

## Curved in Two Positions

The handle of Vikan's hygiene shovel is curved in two positions. This raises the handle by eight cm in exactly the two places where the user places his hand. This results in a significant improvement of the working position and maximum surface contact of the blade.

## The Handle

The ergonomic handle is strengthened by an aluminium tube inside the plastic.

## The Grip

The width and thickness of the grip results in a minimum strain on the small muscles in the hand. Excellent for both right and left handed workers.



The handle of Vikan's ergonomic shovels is designed with maximum flexibility resulting in minimum strain on the muscles. The size also ensures that the hand fits comfortably into the grip. Ergonomic design combats fatigue and supports body posture. Aluminium pipe for strength





### ERGONOMIC SHOVEL

5601x | 1310mm

LARGE SCOOP



1310mm Long handle.



Use this durable Ergonomic Shovel to move large amounts of food waste or food ingredients. Ergonomically designed with the user's working position in mind, this product is ideal for working at floor level as well as shovelling from container to container.

### ERGONOMIC SHOVEL

5611x | 1280mm

SMALL SCOOP



1280mm Medium handle. Small Scoop.

### HAND SCOOP

5673x | 550mm





# SHOVELS

x= 1 2 3 4 5 6 7 8 9 66 77 88



SHOVEL (D-GRIP)

5625x



SHOVEL

5626x

Metal Detectable



## D-GRIP SHOVEL

This fully moulded, one piece hygiene shovel is lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. The smooth surface makes it extremely easy to clean. Ideal for use in food production areas for moving food ingredients or large quantities of food waste.

## METAL DETECT-ABLE SHOVEL

Lightweight and durable, this Metal Detectable Shovel features a one-piece construction that eliminates areas where bacteria can gather. Its smooth surface allows for easy cleaning, which makes it ideal for moving food ingredients or large quantities of food waste. Metal detectability enables use in production on food-contact surfaces. Can be tested using test kit (11199).



Metal detectable tools available in green, red, white and yellow on request.





# SHOVELS, FORK & RAKE

VIKAN HYGIENE SOLUTIONS

## 5603

The holes enable the water/liquid to drain quickly from the food products. Suitable for all industries.

## 5690

Use this Hygiene Fork to empty fresh produce from large containers during harvesting. Features a reinforced handle with an aluminium inner tube and an ergonomic design to prevent back strain.

## 5691

Empty fresh produce from large containers using this Hygiene Rake. For winemaking, the rake can be used to remove residual grapes from the tipper during grape harvest. Available with telescopic or standard handles. A strengthened neck joint allows for heavy-duty use.



Hygiene Rake - 56915



The hygiene rake is mostly used to empty out fresh produce from large containers. It is attached to a handle; either standard or telescopic.



DRAINING SHOVEL (EASY GRIP)

1145 x 380 x 340mm

**5603x**

HYGIENE FORK (EASY GRIP)

1275 x 265 x 120mm

**5690x**

HYGIENE RAKE

205 x 210 x 230mm

**5691x** - Threaded Handle Required



# STORAGE SOLUTIONS

## Mobile and Safe



Organise and control your cleaning equipment with our range of Shadow boards and Cages.

## Organised and Secured



### CHAPTER 03

Wall Brackets	60
Clips & Hooks	61
Tool Holder Systems	62
Locking Hoods	64
Shadow Boards	66
Shadow Board Cages	68
Case Study	70

# WALL BRACKETS

STORAGE SOLUTIONS

## WALL BRACKET (SMALL)

5401 x | 250mm



## WALL BRACKET (MEDIUM)

5501 x | 500mm



## WALL BRACKET (LARGE)

5511 x | 900mm



250mm  
Fits three tools

500mm  
Fits six tools

900mm  
Fits ten tools



HOW IT WORKS



# CLIPS & HOOKS

toolflex®

## TOOLFLEX - ORIGINAL SYSTEM

Thirty years after the initial product launch, Toolflex has gone from a simple idea to a smart system. Manufactured in Sweden, products have continuously been developed both in terms of design and materials. In order to maintain the highest quality standards and adapt to ever-changing market needs in specifically the hygiene industry.



## CLIPS

### CLIPS (SMALL)



5001 | 15-20mm

### CLIPS (MEDIUM)



5101 | 20-30mm

### CLIPS (LARGE)



6251 | 25-35mm


### CLIPS (EXTRA-LARGE)



5201 | 30-40mm

## HOOKS

### HOOK (SINGLE)



5301 | Stainless Steel

### HOOK (DOUBLE)



5303 | Stainless Steel

Equipment storage and organisation does not need to be complicated. Ingenious design is all that's needed to simplify your everyday life.



Slides left and right in rail






# TOOL HOLDER SYSTEMS

## INTRODUCING TOOLFLEX ONE

Toolflex One is designed to be the ultimate tool holder system. It is the result of advanced production technology, Scandinavian design and above all a comprehensive focus on hygiene and user-friendliness.

NEW



3 PIECE HOLDER

3-X-0 | 540mm



5 PIECE HOLDER

5-X-0 | 940mm



### CLIPS

CLIPS 2 PACK



TF1-x



### HOOKS



P-01H-x | Pack of 3



TOOLFLEX ONE



The Public Health and Safety Organization

NSF is an accredited, independent third-party certification body that tests and certifies products to verify that they meet these public health and safety standards. Toolflex One is NSF certified according to NSF/ANSI 2 Food Equipment.



HOW IT WORKS




x= 1 2 3 4 5 6 7 8 9 66 77 88

toolflex®

## EVERYTHING IN ITS PLACE

The Toolflex System helps you to keep everything in its place. Perfect for organisation in smaller spaces.

One size fits all  
15mm – 35mm diameter



- ✓ Hygienic Design
- ✓ Click 'n Go function
- ✓ Approved for Food Contact
- ✓ HACCP Compliant
- ✓ Made in Sweden
- ✓ Patented in South Africa
- ✓ One holder fits all (Ø15–35mm handles)

# LOCKING HOODS

Control, protect and ultimately maintain your cleaning equipment with the aid of locking mechanisms. Perfect for safekeeping off the floor, yet visible, making it quick and easy to see if something is missing or damaged.



Locking hole (8mm)  
for padlock included

## 1 HOOK - LOCKING HOOD

100 x 75 x 76mm

**PSLH**

## 2 HOOK - LOCKING HOOD

200 x 75 x 76mm

**PDLH**

## 8 HOOK - LOCKING HOOD

600 x 75 x 80mm

**PD-02**

## 12 HOOK - LOCKING HOOD

900 x 75 x 80mm

**P-074**



Can be  
custom-made to  
accommodate  
your needs.

x= 1 2 3 4 5 6 7 8 9 66 77 88

**Pescotech**  
FOOD SAFETY IS EVERYTHING



Easy, fast access to stock. Can be used  
on a shadow board or as part of your  
wall-mounted stock control area.

Our locking hoods can be found in 4 standard sizes. Respec-  
tively they can fit 1, 2, 8 or 12 hanging tools and are available  
in lengths of 100mm, 200mm, 600mm & 900mm.





# SHADOW BOARDS

Our 5S shadow boards provide a simple and easy to follow identification process to help you maintain a safe and efficient workplace. Portable shadow board frames are made of a high-grade stainless steel, which provides a hygienic construction and designed for superior stability.

## PORTABLE SHADOW BOARDS

### PORTABLE - SMALL

800 x 1900mm

**19080PF**

Make it lockable - add a lockinghood



### PORTABLE - MEDIUM

1200 x 1900mm

**19120PF**

Make it lockable - add a lockinghood



### PORTABLE - LARGE

1500 x 1900mm

**19150PF**

Make it lockable - add a lockinghood



## HOW TO CLEAN YOUR SHADOW BOARD



Shadow boards may be customised for Food Contact, Floor Contact, Allergen Control, Glass Breakage and off-Floor Contact environments.

All board options are also available with solid colour backgrounds, to match your tool colours.



X = 1 2 3 4 5 6 7 8 9 66 77 88

## WALL MOUNTED SHADOW BOARDS

### WALL MOUNTED - SMALL

800 x 1900 x 8mm

**STA031**



### WALL MOUNTED - MEDIUM

1200 x 1900 x 8mm


**STA051**



### WALL MOUNTED - LARGE

1500 x 1900 x 8mm

**STA050**



Customized sizes or solutions available on request

Tools, clips and hooks are sold separately

Shadow boards can be ordered as a wall mounted option, portable single sided or double sided option, or placed inside a cage.



## QUICK FACTS

- ✓ Effective visual management solution
- ✓ Enhances hygiene programmes
- ✓ Reduces the risk of cross-contamination
- ✓ Maximises space
- ✓ Reduces inter-departmental theft of tools
- ✓ Increases efficiency in the workplace
- ✓ Promotes accountability and traceability

# SHADOW BOARD CAGES

Our Shadow Board Cages are made of Grade 304 stainless steel (to prevent corrosion) or a 3mm mild steel with epoxy coating (a budget friendly option in less wet areas) and provide a hygienic surface which is easy to clean. All-welded assembly ensures a robust frame. We offer mobile and floor mounted options. Their expected lifespan to be 3-5 years depending on use. All cages are made to order.

## FLOOR MOUNTED - STD SIZES

CODE	FLOOR MOUNTED	WIDTH	HEIGHT	DEPTH
<b>19080FS</b>	S Single Sided	800mm	1900mm	450mm
<b>19120FS</b>	M Single Sided	1200mm	1900mm	450mm
<b>19150FS</b>	L Single Sided	1500mm	1900mm	450mm

Introducing our new Shadow Board Cage design, perfect for your food processing plant.



SHADOW BOARD  
CAGE INTRODUCTION



x= 1 2 3 4 5 6 7 8 9 66 77 88

## MOBILE CAGES - STD SIZES

CODE	MOBILE	WIDTH	HEIGHT	DEPTH
<b>19080MS</b>	S Single Sided	800mm	1900mm	450mm
<b>19120MS</b>	M Single Sided	1200mm	1900mm	450mm
<b>19150MS</b>	L Single Sided	1500mm	1900mm	450mm

Simple yet robust stainless steel hinges are installed on the doors. These ensure longevity and smooth opening and closing of doors and are manufactured for heavy duty loads to carry weights of up to 200kg

Depth of the cages provides enough space for buckets or trolleys to be placed inside the cage.

Durable 5mm polycarbon sheeting does not shatter or crack easily. Fairly scratch resistant.



Large diameter, heavy duty nylon wheels with ball bearings and locks ensure long lasting mobility over uneven surfaces as well as being able to lock the cage in position so it does not topple over.



- ✓ Strong
- ✓ Durable
- ✓ Lockable
- ✓ Mobile
- ✓ Hygienic



Integrated lock ensures no loose units or padlocks.

Anti-theft screws complicates dissembling of unit which minimizes theft.

Fixing points ensures sturdy support for whole structure and sheets. Can easily be replaced if necessary.





## **MANTELLI'S** CASE STUDY



We provided a custom trolley solution to one of our clients which could be moved under the production area.

The need arose as the tools were lying on the floor and was a hygiene hazard.


By providing a mobile solution the tools could safely and hygienically be stored away from contaminants and out of walkways.



### “A place for everything, & everything in its place”

Embodying 5S methodology, shadow boards greatly enhance your implementation of the principles of HACCP, decreasing the risk of cross-contamination.

- **Sort:** Save time, as tools are ready, accessible and always in the same place.
- **Streamline:** Tools cannot be lost if rules are abided by, saving on replacements.
- **Shine:** Clean completely and maintain a high standard of hygiene.
- **Standardise:** Set the procedural norms required for excellence in particular environments.
- **Sustain:** Ensure the quality of work is maintained in the long-term.



Implementing the 5S method means cleaning up and organizing the workplace in its existing configuration. It typically is the first lean method that organizations implement. This lean method encourages workers to improve their working conditions (including safety and ergonomics) and helps them to learn to reduce waste, eliminate unplanned downtime and conduct in-process inventory.



# FLOOR DRAINS & CHANNELS

**BLÜCHER®**

A **WATTS** Brand

Quality drains, pipes, channels, and accessories in order to provide high-quality drainage solutions for housing, commercial, industrial, and marine applications.

## CHAPTER

# 04

BLÜCHER® Drainage Systems	72
BLÜCHER® Europipe	76
Endura Grease Trap	77



BLÜCHER COMPANY  
PROFILE





# FLOOR DRAINS & CHANNELS

## BLÜCHER®

### Keeping up the flow.


Save money on the cost and disruptions of inferior drains. Choose BLÜCHER®, one of Europe's leading producers of stainless steel drainage systems. Innovative products and rigorous testing ensure high quality, excellent flow capacity and optimum hygiene, combined with minimal maintenance. Suitable anywhere – from multi-storey apartments and food processing factories to hospitals and cruise liners.

#### COMPACT SHOWER DRAIN

4in1  
DRAIN



200 x 200mm  
**782.203.075**




#### COMPACT DRAIN

### ADVANTAGES

- Connection pipe allowing vertical or horizontal outlet
- Low Installation Height
- Height Adjustable
- High Flow Capacity

## Industrial 200 Complete Square Drain



760A - Square Drain Set  
760B - Round Drain Set  
670A - Channel Kit



#### DRAIN INSTALLATION

## INDUSTRIAL 200 SERIES

### SQUARE DRAIN



**760.402.110** | 200 x 200mm  
Vertical Outlet / ø110mm

### ROUND DRAIN



**760.502.110** | ø200mm  
Vertical Outlet / ø110mm

### CHANNEL



**670DK010-008A** | 200 x 1000mm  
Vertical Outlet / ø160mm

### FILTER BASKET WITH HANDLE



**780.002.000.05** | ø140mm  
6mm Holes

### SQUARE INDUSTRIAL DRAIN



**763.402.110** | 200 x 200mm  
Horizontal Outlet / ø110mm

### ROUND INDUSTRIAL DRAIN



**763.502.110** | ø195mm  
Horizontal Outlet / ø110mm

### HYGIENIC PRO GRATING



5500kg  
**697.250.200.50** | 500 x 200mm  
2 Units Required per Channel

### REMOVABLE WATER TRAP



**562.002.000.5** | ø157mm  
Max Flow 3.3 L/S

### HYGIENIC PRO GRATING




4000kg  
**790.168.000.60** | 170 x 170mm  
Square

### HYGIENIC PRO GRATING



7000kg  
**790.173.000.60** | ø173mm  
Round

### MESH GRATING CHANNEL



1350 kg  
**696.223.194.99** | 194 x 998mm  
Vertical Outlet / ø110mm

### OUTLET FILTER



**780.400.110.05** - ø110mm  
**780.400.160.05** - ø160mm

# PIPES & FITTINGS



## BLÜCHER® EUROPIPE

The most reliable and easy-to-use drainage pipe work system on the market.

The system consists of pipes and fittings in stainless steel grades AIS, 304 and 316L with sockets and lip sealing rings. Apart from excellent hygiene properties, products in the range are also corrosion, temperature and fire resistant. Its low weight, innovative design and easy handling leads to a better working environment and its fast installation means that no specialised welders or fitters are required to get your system up and running.

## PIPES AND FITTINGS

BLÜCHER® EUROPIPE includes a complete product range of pipes, bends, branches, access fittings and rodding eyes in standard dimensions ø110mm, ø125mm, ø160mm, ø200mm, ø250mm and standard lengths ranging from 0,15m up to 6m. BLÜCHER® recommends the use of minimum ø110mm for below-ground installations. Also local regulations may require the use of minimum ø110mm.



EUROPIPE  
INTRODUCTION



## CUSTOMISED ITEMS

Customised items are available on request.

## TOOLS


Our electric or manual BLÜCHER® pipe cutter is used to cut pipes to lengths and bevel pipe ends for jointing.



## ENDURA GREASE TRAP

The latest innovation in grease management.

Endura has designed a grease trap that is not only cost effective, reliable, lightweight, compact and durable, but also easy to install (in-floor, on floor or semi recessed), easy to maintain (removable parts and easily available spares) and very, very hard working.



### GREASE TRAP




**MGT 200 (0.9L/sec)**, (386 x 444 x 414mm)

**MGT 500 (1.6L/sec)**, (600 x 445 x 414mm)

**MGT 700 (3.2L/sec)**, (787 x 597 x 445mm)

### MGT 500 STAINLESS STEEL STAND



**MGT 500-S**

Keep grease trap off the floor. Easy to clean.



# WASHDOWN EQUIPMENT

## CHAPTER 05

Vikan Foam Concept	80
Waterguns	81
Hoses, Foaming, Dosing	81
Couplings	83
Central Cleaning System	84
Hose Reels	88
Hoses	90
Ultra Hygienic® Lances & Nozzles	91
Ultra Hygienic® Guns & Couplings	92
360° Hygiene Lobbies	94

Pescatech's range of heavy duty wash-down accessories includes waterguns, couplings and fittings and hoses, designed to handle the demands of food processing and industrial applications.



# VIKAN FOAM CONCEPT

## LOW PRESSURE CLEANING 3 -10 BAR

### What is the pre-emptive step prior to rigorous scrubbing?

The Vikan Foam Concept enables quick and broad application of foamed cleaning detergent for large open plant cleaning; be it populated with equipment or open surfaces.



COLD WATER HOSE



THERMOCLEAN AL 20



FOAM SPRAYER WITH JET SPRAY

The ability to use water economically is highly important and the Vikan Foam Concept ensures that water is not wasted and may be used when required.

x= 1 2 3 4 5 6 7 8 9 66 77 88



### WATERGUNS

#### HEAVY DUTY WATERGUN



**9324x** | 24 Bar / 95°C

● ● ● ● ●

#### WATERGUN REPAIR KIT



**30073A3**

Spring, Plunger & Nozzle

#### SPRAYING GUN



**93229** | 6 Bar / 40°C

●

### HOSES

#### 1/2" COLD WATER HOSE



**9332** | 12 Bar / 40°C

15m - Food Grade



#### 1/2" HYGIENE HOSE



20 Bar / 70°C

15m - **93363** - Food Grade

20m - **93373** - Food Grade



#### HOSE SUSPENSION - SS



**9345**

Wall Mounted - Max 20m hose

### FOAMING

#### 1.4L FOAM SPRAYER

incl. jet spray



**9305x** | 10 Bar / 40°C

**11715** - Wall Bracket available

● ● ● ● ●

#### WATERGUN FOR FOAM SPRAYER



**93209** | 10 Bar / 40°C

#### INJECTOR WITH SUCTION HOSE



**93149**

Complete Set

### DOSING

#### ERGO FOAM SPRAYER

incl. jet spray



2-8 Bar / 60°C

**93013x**

● ● ● ● ●

#### SUCTION HOSE KIT

Complete set



**94815**

Quick Release Coupling Included

#### STEEL SUSPENSION BRACKET



**9348**

Used for 9301x/9305x | SS



## CONTROLLING WATER USAGE WITH WATERTIGHT WATER CONTROL



## COUPLINGS



### 1/2" MALE COUPLING

For Tap Connection



**0700** | Nickel Plated Brass  
With 1/2" and 3/4" Female Thread

### 1/2" MALE COUPLING

For Watergun Connection



**0712** | Nickel Plated Brass  
With 1/2" Male Thread

### 1/2" & 3/4" DOUBLE HOSE TAIL



**0708** | Nickel Plated Brass  
With 1/2" Male Thread

### 2-WAY HOSE CONNECTOR



**0705** | Nickel Plated Brass  
With 1/2" Male Couplings

### 1/2" HOSE COUPLING



For a 1/2" hose  
**0701** | Nickel Plated Brass  
**0701SS** | Stainless Steel

### 1/2" WATERTIGHT HOSE COUPLING



**0703** | Nickel Plated Brass  
For a 1/2" hose

### 1/2" HOSE COUPLING



**0725** | Nickel Plated Brass  
With 1/2" Female Thread

### 1/2" HOSE COUPLING



**0724** | Nickel Plated Brass  
For a 3/4" hose

### 3/4" HOSE COUPLING



**0716** | Nickel Plated Brass  
For a 3/4" hose

### ADJUSTABLE NOZZLE



**0722** | Nickel Plated Brass  
With 1/2" Male Coupling

The couplings are manufactured from chromium plated brass. The couplings must be ordered separately depending on the hose size.



# CENTRAL CLEANING SYSTEM

SAFER FOOD - BETTER BUSINESS

## CSS

The CSS comprises of a Central Control Room with satellite station for pre-setup fixed stations.

VCC II 70 T/DS


Chemical Centre

9720 | Centrally controlled

MEDIUM PRESSURE | 20-40 Bar

Includes

- Water pump unit
- VMS II DC satellite station
- Injector dosing



## FACTS

- Desired pressure and flow for up to 30 simultaneous users
- Optimized cost and environmental impact
- Efficiency and hygiene in production area
- Control over the cleaning process
- Stainless Steel
- 10 year warranty



LAGAFORS

The Lagafors Central Cleaning System, CCS, is made up of four main components that together meet high demands for capacity, performance and quality. By combining the Variable Chemical Centre (VCC II) chemical and various type of water pump centres (LWP), customers can reduce their costs by up to 35% compared to most cleaning systems and cleaning methods. The central components provide the correct pressure, flow and chemical concentration, where needed, for up to 30 simultaneous users.

The water pump LWP and the VCC II chemical centre are normally placed in a centrally located area. Pipe and hoses run from there through the factory feeding all the satellite stations. Each satellite stations consists of a hose reel with hose for water, chemicals and disinfectant. The central dosing and storage of chemicals enables safe handling with no concentrated chemicals in the production area. Service, maintenance and settings for the LWP and VCC II are made in a central place.

CCS is also the only system that is fully compatible with the LogTrace System (LTS) which gives the customer full logging, documentation and control over the cleaning process.

LWP 2090 SB UNIT

9230

MEDIUM PRESSURE | 20 Bar @ 90 l/m

LWP 4070 SB UNIT

9325

HIGH PRESSURE | 40 Bar @ 70 l/m



# SATELLITE STATION

## DCS

The Lagafors DCS is suitable for installations of all sizes, but when using larger systems (>5 satellites), you should also consider installing a Lagafors CCS, Central Cleaning System.

SATELLITE STATION VMS II DC-D

**38455**

MEDIUM PRESSURE | 10-25 Bar

SATELLITE STATION VMS II DC-D

**38470**

HIGH PRESSURE | 35-45 Bar



# MOBILE STATION



## MCU

Medium Water Pressure Mobile, LWP-M II, is a complete mobile cleaning unit for rinsing with pressurised water and application of chemical foam and disinfectant.

Includes:

- Hose
- Nozzles
- 20 Bar Pump (30l/min)
- Air Compressor

LWP 2030 M-II

**32060** | 50Hz, Inc

MEDIUM PRESSURE | 10-25 Bar

LWP 4025 M-II

**32080\_2** | 50Hz, Inc


HIGH PRESSURE | 24-40 Bar



Our portable testing station can be hired or used to test on your premises. This provides first hand operation and experience of this ultimate hygiene system. Give us a call on 086 110 1845 or send an email to [sales@pescatech.co.za](mailto:sales@pescatech.co.za)



## PORTABLE TESTING STATION






# HOSE REELS

## INDUSTRIAL HOSE REELS OF THE HIGHEST QUALITY.

Store your hoses off the ground and out of the way, yet easy to find, while protecting it from twisting. A top-quality retractable coil spring ensures that the hose reel remains maintenance free. This cost-effective solution ensures your hose lasts longer. Hose Reels are available with and without hoses.



430 SERIES	530 SERIES	540 SERIES
		
HOSE SPECS	HOSE EXCLUDED	INLET HOSE ORDERED SEPARATELY HOSE INCLUDED
Fits 1/2", 15m, 50 Bar, 100 deg	<b>434/20/SM</b>	<b>434/21/SM</b> - 15m
Fits 1/2", 20-25m, 100 Bar, 100 deg	<b>534/20/SM</b>	<b>534/22/SM</b> - 20m <b>534/21/SM</b> - 25m
Fits 1/2", 25-30m, 100 Bar, 100 deg	<b>544/25/SM</b>	<b>544/26/SM</b> - 25m <b>544/27/SM</b> - 30m

## "SPEED CONTROL" REWINDING BRAKE

The new Ecodora brake is designed to control the hose rewinding speed on all our hose reels. It guarantees a controlled and safe rewinding speed in case of accidental hose release.



PRODUCT CODE	FITS TO
<b>430/020</b>	430, 530 & 540

**SPEED CONTROL REWINDING BRAKE IN ACTION**

**SPEED CONTROL REWINDING BRAKE**



### SWIVEL BRACKET

PRODUCT CODE	FITS TO
<b>430/06</b>	4432/10/SM & 434/20/SM
<b>530/06</b>	534/20/SM
<b>540/06</b>	544/20/SM & 544/25/SM





# HOSES



MEDIUM PRESSURE: 10-50 BAR

## ULTRA HYGIENIC - INLET HOSE - FOR HOSE REEL\*

PRODUCT CODE	HOSE (M)	HOSE (Ø)	PRESSURE	DEGREES
<b>01.01.015.12</b>	1.5m	½"	10-50 Bar	70°C
<b>01.01.02.12</b>	2m	½"	10-50 Bar	70°C

\* Male and Female thread on the ends of the hose



## ULTRA HYGIENIC - HOSE - FOR HOSE REEL

PRODUCT CODE	HOSE (M)	HOSE (Ø)	PRESSURE	DEGREES
<b>01.01.15.01.B</b>	15m	½"	10-50 Bar	70°C
<b>01.01.20.12.B</b>	20m	½"	10-50 Bar	70°C
<b>01.01.25.01.B</b>	25m	½"	10-50 Bar	70°C
<b>01.01.30.12.B</b>	30m	½"	10-50 Bar	70°C



Hose Protector with anti-bacterial rubber



Inner surface in flexible grey, various detergent and disinfectant (pH 1-14) resistant PVC

6 reinforced layers for ultimate durability

Intermediary layer in flexible PVC

Polyester reinforcing



Blue cover is flexible, non-staining, greaseproof, detergent and disinfectant resistant food grade PVC



ULTRA HYGIENIC - HOSE

To extend the life of the hose and its accessories, follow the instructions:

- Use the hose within the designed parameters (see graph).
- Always hang up the hose after use, preferably on a hose reel.
- Do not leave water in the hose while it is not in use, especially if the hose is on the reel and temperature in the room is low.



**CleanAccess**  
...your access to the highest level of hygiene

## LANCES AND NOZZLES – ULTRA HYGIENIC

### BLASTING NOZZLE - 0°



**04.07.00.20** | 20L/min  
70mm - Straight Jet

### RINSE NOZZLE - 25°



**04.07.25.30** | 30 L/min  
70mm - Flat Fan

### RINSE LANCE - 25°



**04.70.25.30** | 30 L/min  
700mm

### FOAM NOZZLE - 50°



**04.07.50.200** | 200L/min  
70mm - Spread

### FOAM LANCE - 50°



**04.22.50.200** | 200 L/min  
220mm

### DISINFECTION NOZZLE - 15°



**04.07.15.20** | 20L/min  
70mm - Spread 20 Bar


SPRAY PATTERN	FLAT FAN RINSING	SOLID STREAM RINSING	FOAMING	DISINFECTION
 <b>LANCE HEAD</b>				
	<b>25° / 25L/m</b> <b>25° / 30L/m</b> <b>40° / 30L/m</b>	<b>00° / 20L/m</b> <b>00° / 30L/m</b> <b>00° / 40L/m</b>	<b>50° / 200L/m</b> <b>65° / 150L/m</b>	<b>15° / 20L/m</b> <b>15° / 25L/m</b> <b>15° / 30L/m</b> <b>15° / 40L/m</b>
	70mm 500mm 700mm 900mm	70mm 500mm	70mm 220mm	70mm

# GUNS & COUPLINGS

## ULTRA HYGIENIC® BALL VALVE WITH STAINLESS STEEL PROTECTION

! When ordering a gun, remember to order a nozzle with the gun

**UH** ULTRAHYGIENIC  
Safety FIRST



### REPAIR KITS

#### LP GUN REPAIR KIT



Female Quick Coupling

**07.04.01.01** | EPDM seals x2

Spring retention clip, outer plastic housing

#### SWIVEL JOIN 360



**07.07.00.00**

Used for both guns

#### 1/2" LP GUN - BALL VALVE



**02.01.01.02**

Stainless Steel

## ULTRA HYGIENIC® FITTINGS

### 1/2" MALE QUICK COUPLING



EXT thread, 300 Bar

**03.01.01.12**

Stainless steel

### 1/2" MALE QUICK COUPLING



1/2" INT thread, 300 Bar

**03.01.02.12**

Stainless steel

### 1/2" NIPPLE



Male thread on each side

**03.03.01.12**

Stainless steel

### 1/2" FEMALE QUICK COUPLING



1/2" EXT thread, 300 Bar

**03.02.01.12**

Stainless steel

### 1/2" FEMALE QUICK COUPLING



1/2" INT thread, 300 Bar

**03.02.02.12**

Spring retention clip

### REPAIR KIT



Female Quick Coupling - Seals

**07.05.01.12, EPDM seals x2**

Spring retention clip, outer plastic housing

### 1/2" MALE TWISTED FITTING



NEW

1/2" EXT thread, 300 Bar

**03.05.01.01**

Stainless steel

### 1/2" FEMALE TWISTED FITTING



NEW

1/2" INT thread, 300 Bar

**03.05.01.02**

Stainless steel

### CENTRAL CLEANING SYSTEM GUN



80 L/min, 125 Bar

**02.01.03.03**



TWISTED FITTING  
INSTALLATION



CENTRAL  
CLEANING  
SYSTEM  
GUN



# 360° HYGIENE LOBBIES

## IMPROVE YOUR WORKSPACE.

### The ultimate combination of cleaning solutions.

Pescatech's 360° Hygiene Solution Development service is the embodiment of Pescatech's commitment to our customers in aiding them every step of the way to the attainment of their hygiene goals.

Backed by our 20 plus years of experience within the cleaning industry, we provide complete solutions to what you have become accustomed to believe are insurmountable challenges.

We have the expertise to provide solutions, design and build bespoke elements, install these elements on site, and monitor performance to save you time and money.



**toolflex®**



**LAGAFORS®**


**dualflow plus**



**plum**



# AUTOMATED HYGIENE CONTROL



## CHAPTER 06

Wash Basins	98
Automated Hygiene Access	98
Boot Washers	99
Crate Washers	99

ROSER is a world leader in the design and manufacturing of machinery and equipment for the food industry; especially the meat industry.

The company started its activity in 1959 in Cassa de la Selva, near Girona, (Spain), when its founder Don Jaime Roser designed the first stainless steel equipment.

Since then ROSER has diversified its activity in the sector through acquisitions; being at present the only Spanish industrial group that offers global solutions for the meat and food sector.



**Superior hygiene control for your staff.** Processors in the food industry worldwide rely on ROSER equipment to ensure the quality and safety of their products. ROSER provides the only system available in the market that ensures cleaning and disinfection of workers who handle foodstuffs.



# AUTOMATED HYGIENE CONTROL



Note: All wash basins and washers require a pressure regulator of 3 Bar and mixing valve.  
Pricing on application applies, please contact sales support to find out more.

## WASH BASINS

### FOOT OPERATED - SINGLE




### FOOT-OPERATED - DOUBLE



### INFRARED-ACTIVATION



### INFRARED-ACTIVATION




### FOOT-OPERATED



## AUTOMATED HYGIENE ACCESS

### SANIECO PLUS



### SANICOMPACT PLUS



## BOOT WASHERS

### MANUAL BOOT WASHER: FOOT-OPERATED



### WALK-THROUGH BOOT WASHER



### WALK-THROUGH SHOE WASHER: INFRARED-ACTIVATION



### WALK-THROUGH BOOT WASHER: INFRARED-ACTIVATION



## CRATE WASHERS

### CRATE WASHER - 300 CRATES/HOUR



### CRATE WASHER - 700 CRATES/HOUR



# HEALTH & SAFETY PRODUCTS

plum

## CHAPTER

07

Eyecare	102
First Aid Dispensers	102
Hand Hygiene	103
Dispensers	103



## PROFESSIONAL SAFETY IN THE WORKPLACE

Sight is one of our most important senses. Therefore it is of great importance to protect your eyes also while working. In spite of safety precautions a lot of workplaces still bear risks of eye injuries. Using an effective eye rinsing solution helps reducing the extent of the injury.



FIRST AID | HAND HYGIENE  
INDUSTRY SOLUTIONS



# HEALTH & SAFETY

## EYECARE

### EYEWASH STATION



**4787** | Incl. 200ml PH Neutral  
| Incl. 500ml Eyewash

### 200ML PH NEUTRAL



**4752**  
200ml Bottle

### EYE WASH



**4691** (200ml bottle)  
**4604** (500ml bottle)

## FIRST AID DISPENSERS

### QUICKFIX METAL DETECT



**5503**  
Includes 2 Detectable Plaster Refills

### METAL DETECTABLE



**5513**  
Available as Box of 6 x 45 Plasters

Easily dispensed.  
Ready when you need it.



FIRST AID DISPENSERS



USING PLUM EYEWASH



# HAND HYGIENE

plum

## DISINFECTANTS

### DISINFECTOR 85%



**3766**  
Available as Box of 6 x 1L Bags

## HAND SOAP

### 1L MILD SOAP



**1666**  
Available as Box of 6 x 1L Bags

## DISPENSERS

### COMBIPLUM



**4292**  
Fits 1L Bag

### COMBIPLUM ELECTRONIC



**4302**  
Fits 1L Bag

## HEALTHY SKIN IS A HEALTHY INVESTMENT.

All Plum products are made with a single aim – to create the best possible hand hygiene. Working closely with dermatologists, safety organisations and Occupational Health Service professionals, Plum has perfected the combination of hard-hitting efficiency and gentle hand care – before, during and after work.



HOW TO CARRY OUT A THOROUGH HAND WASH



## Disinfectant 85%

- ✓ Efficacy against bacteria and influenza virus
- ✓ Prevents spread of infectious diseases
- ✓ Glycerin added to prevent dry skin
- ✓ Complies with European standards prEN12054 and EN1500

# JANITORIAL SOLUTIONS

## VIKAN MICROFIBRE CONCEPT

The cleaning concept that enables you to avoid the compromise between hygiene and efficiency. Vikan's microfibre utilises the forces of capillary action and static electricity to combat unhygienic elements. These forces, which develop in microfibre cloths enable the seamless collection of grease and grime, dirt and dust. Each mop cloth provides a unique set of benefits for the user to utilise in overcoming their challenges.

The Microfibre Concept has a solution for your particular cleaning challenges, be it floors, dust, grease, walls, microbes or windows.

The high content of Vikan 'ultra microfibre' ensures large quantities of dust and dirt particles can be removed by the mop with extremely low friction, making it very easy to use.



## CHAPTER 08

Vikan Window Cleaning	106
Vikan Mopping Solutions	108
IPC Bucket Trolleys	114
IPC Mopping Solutions	116

CLEANING  
WITH VIKAN  
MICROFIBRE



Watch this video for advice about using Vikan microfibre products in general.



# WINDOW CLEANING



**MOP FRAME WITH VELCRO**  
**374118** | 250mm  
Only Used with 549125



**WINDOW MOP CLOTH**  
**549125** | 250mm

## WINDOW CLEANING KIT

**549101** | Handle Length: 495-880mm

The kit includes:

- 5 Window Mops (549125),
- 5 Lustre Cloths (691540),
- 1 Spray Bottle (581210),
- 1 Ultra Flex Mop Frame (374118)
- 1 Telescopic Handle (295610).

The Vikan Easyshine Kit with Flexible Mop Frame is a complete solution for cleaning windows, glass, perspex screens, mirrors, tiles, stainless steel, white boards, tabletops, and other high gloss surfaces, including curved surfaces such as revolving doors, bathtubs, jacuzzies, curved plastic seats and vehicle windows.



## WINDOW SQUEEGEE



Use Cone Adapter 282904 (p120)  
to connect to Standard Handle

**476118** | 250mm  
**476218** | 350mm

## WASH FUR



**474215** | 400mm

## HOLDER FOR WASH FUR



**475218** | 350mm  
Threaded Handle

## INTERIOR MOP HOLDER



**377018** | For Dusting  
Suitable for Office Use- i.e Blinds

## INTERIOR MOP CLOTH



**548400** | For Dusting  
Microfibre Material

## MICROFIBRE CLOTH



**69113x** | 320 x 320mm



## LUSTRE CLOTH



**691540** | 400 x 400mm  
Microfibre material

## MICROFIBRE CLOTHS

Can be used on all hard surfaces and is ideal for general cleaning of furnishings. Used dry, the cloth collects and retains the smallest dust and dirt particles using static electricity. Damp, the cloth absorbs dirt and grease using capillary action.



**MICROFIBRE CLOTH**



# MOPPING SOLUTIONS



**MOP FRAME WITH VELCRO**  
**374218** | 400mm  
Only used with 295218/296218 handle

This composite Velcro Mop Frame can be used with all 40cm Velcro mop heads and click-fit handles within the Vikan microfibre range.



It features exchangeable Velcro and is suitable for cleaning floors, walls and ceilings.



## Ergonomic handles

When you work using our ergonomic handles, your muscles will feel far less exertion during and after the work.

- The handle length can be swiftly changed by pressing a button at the top.
- The long, light and insulated handles with a hand-friendly diameter cause muscles to work less.
- The handles are made from durable impact-resistant material with a rugged telescopic lock
- The hand support facilitates working on vertical surfaces and at height.



**ALUMINIUM MOP HANDLE**  
**295218** | 1375mm  
Ergonomic Design

**TELESCOPIC MOP HANDLE**  
**296218** | 1235 - 1770mm  
Adjustable Length



**QSR TROLLEY**  
**580410** | Incl. Preparation & Storage Containers  
2 cloth boxes, mop holders,  
360° rotational wheels and water bucket



**QSR TROLLEY**




# MOPPING SOLUTIONS

## Effective textiles for effective cleaning

Dry mops are used without liquid to collect dust and loose particles. They can be used damp or dry - direct from the washing machine or moistened in Vikan's mop preparation box.

Wet mops add liquid that loosen dirt on the floor/surface. When using a wet mop, it is recommended that you dry afterwards using a dry mop.



NEW

### DAMP DRY 31 MOP CLOTH 547640 | 400mm Multi Clean

The microfibre edges generate static electricity that traps all dust and dirt particles during dry mopping. The mop is reinforced with polyester in the middle to reduce friction when damp mopping. Ideal for use in hotels, hospitals and other applications with strict hygiene requirements.



### DAMP 47 MOP CLOTH DARK 548509 | 506 mm Deep Clean

Greasy floors are a major challenge for most microfibre mops, but not for Damp 47. The unique weave enables a high microfibre content without the normal loss of productivity. Damp 47 ensures excellent results on tiled floors and other hard floors with texture.




### DRY 24 MOP CLOTH 547140 | 400mm Easy Dry

Ideal for sweeping all types of hard, flat floors, where dry mopping can replace damp or wet mopping. The fibres collect the dust, dirt and hair. This mop is ideal for use in corridors and high-traffic areas.



### DAMP 48 MOP CLOTH 548740 | 400mm Heavy Duty

Damp 48 Heavy Duty has developed over many years based on experience. It is ideal for heavily soiled floor surfaces. The raised microfibre bands help to remove even the most stubborn dirt and the fringes catch and hold larger particles.



### DAMP 43 MOP CLOTH 549640 | 400mm Rapid Clean

The cut yarn loops absorb and carry moisture at the same time, ensuring higher capacity and that the right amount of water is released to achieve effective cleaning in heavy traffic areas.

# MOPPING SOLUTIONS

## ADAPTERS

### CONE ADAPTER



For Window Squeegee

**282904**

VHS Thread to Cone

### VEC ADAPTER



**380800**

Clip to Cone

### VHS HANDLE ADAPTER



**2994**

Thread to Clip

### VHS ANGLE ADJUSTABLE ADAPTER



**211209**

Ensures Best Angle of Application

### PROFESSIONAL TOILET BRUSH



**50515**

○

### DOMESTIC TOILET BRUSH




**5048**

○

## MOPS

### MOP HEAD



250gr

**372518**

Use with 2937 / 2959 Handle

### MOP BUCKET 15L



**375018**

Clip Wringer to Bucket

### WRINGER F/MOP BUCKET



**376016**

For 15L Mop Bucket

### DUSTPAN SET

**559618**

Broom Interchangeable with Squeegee



HOW TO USE THE DUSTPAN



## The ultimate bathroom buddy

Cleaning under the rim is easy with this Toilet Brush, featuring a long handle and additional rim brush.



### TOILET BRUSH

Professional Toilet Brush with Holder & Wall Bracket  
720mm, Medium, White  
Code: 5051





# BUCKET TROLLEYS

## INTEGRATED PROFESSIONAL CLEANING

### Cleaning implements for the professionals.

IPC is a leader in manual cleaning equipment. Completely produced in Italy, quality and durability comes standard with all products.



Rubber pad  
7002073



JANITORIAL SOLUTIONS



### BUCKET TROLLEYS

#### 25L SINGLE BUCKET TROLLEY

1 x 25L Bucket with Wringer

**6027001x**



#### 15L DOUBLE BUCKET TROLLEY

2 x 15L Buckets with Wringer

**6027030x**



#### 2P DOUBLE BUCKET TROLLEY

2 x 25L Buckets with Wringer

**7009250x** Frame & Wringer



# IPC MOPPING SOLUTIONS



## MOPPING

### LOOPED MOP



**5100350** | 350gr  
With Band and Looped Ends

### HYGIENE MOP



**5096220** | 220gr  
Sontara Mop

**MICROLIGHT CLOTH**  
**7151141x** | 36 x 40mm



- Multi-purpose cloth
- Scratch free
- High absorbency
- Ideal for all type of surfaces
- More volume and better dirt removal
- Composition: 80% viscose 20% mixed fibres

**MULTI-PURPOSE RAINBOW CLOTH**  
**7152135x** | 35 x 40mm



- Non woven Microfibre cloth
- Ideal for daily cleaning
- Quick and easy handling
- Ideal for delicate surfaces
- Long lasting, easy to rinse out
- Ideal for drying kitchenware
- Composition: 50% polyester 50% polyamide

## LOOPED MOP

This is a standard cotton mop with a band, twisted strands and looped ends. It is produced from yarn consisting of 70% cotton fiber, 20% polyester and 10% other fibers.

### Colour Strips

- Can be cut away
- Gives flexibility to colour
- Curbs cross contamination

### Looped Ends

- Retains dirt
- Prevents strand loss
- Ends do not unravel

### Twisted Yarn

- The stayflat band keeps the yarn flat on the floor, enabling the mop to cover a larger floor area
- The yarn reduces linting and avoids the yarn tangling
- Has abrasive scratchback centre band for removing dirt whilst mopping

### Mop Head Specifications:

- Total Mop Head Weight:  $\pm 350g$   
Strand Weight: 0,125 gr/mt
- Tensile Strength: 1100 gr/mt  
Coloured Label: 100% polyester
- Band: 100% cotton.  
Washable at 60°C

Looped mop, Basic Mop handle and Mop holder assembled as a unit. Items sold separately.

### BASIC MOP HANDLE



**5959x** | 1500mm



Note: Basic handle unique grey colour code 18: 595918

### VIKAN MOP HANDLE 15



**5937x** | 1500mm



### MOP HOLDER



**6900003x**



### 9L BUCKET



**7000009x**



### WET FLOOR SIGN



**5109x**





# NEW LOOK JUST LAUNCHED!

## THE NEW OLYMPIC MOP & MOP FRAME



MOP HOLDER  
6900003x



OLYMPIC MOP  
4070080x

**NEW**

MOP & CLIP TO BE USED WITH 5937x | 1500mm



## AVAILABLE IN 12 COLOURS

## OLYMPIC MOP



### OLYMPIC MOP FRAME

4070080x | 400m



The new Olympic Mop and Mop Frame has just been launched:

- Stronger and more durable
- Easy mop cloth fitting
- Four mop cloths to choose from or ultimate hygienic practices
- Available in 12 colours and HACCP accredited
- Uses Vikan Ergonomic Handle - also available in 12 colours




5 frames in one – can be used with classic flaps, flaps with 2 rings, flaps with 3 rings, pockets & flaps, velcro and disposables.

### REPLACEMENT TYPES - Dual system opening/ closing and Universal Connector



### OLYMPIC MOP - MICROFIBRE MOP CLOTHS - Available mops listed below


#### PREMIUM HYGIENE CLOTH



- Premium hygiene blue is a short pile microfibre, ideal for floors and surfaces
- Slightly abrasive inserts are made for deep cleaning.
- Chlorine resistant for medical use
- Can be used on surfaces such as stoneware, stone, rubber and pvc
- Ideal for environments with high risk of bacterial contamination.

5505240


#### SNOW MICROFIBRE CLOTH



- Snow is a white short pile microfibre, ideal for removing dirt from steel, wood, marble and PVC.
- Snow is versatile: it is suitable for washing when it is wet.
- When it is dry, it is perfect for dusting.
- Thanks to its flexibility, it guarantees effective cleaning on almost all types of floors.

5502240


#### SPOT MICROFIBRE CLOTH



- Spot is a black and white short pile microfibre for the cleaning of floors and surfaces.
- Through its particular black abrasive spots, it guarantees an accurate removal of the most stubborn dirt.

5504240

#### HYGIENE



- Blue microfibre with cusp twisting with high removal power on porous floors and with grouts.
- Resistant to bleaching and aggressive detergents.
- Particularly suitable for washing and disinfection of environments in which the risk of contamination is medium-high.

5503240

# HAND DRYERS



## MACHFLOW® ROCK SOLID COMPACT DESIGN ADJUSTABLE AIR SPEED

### Ultra fast dry time

It has an adjustable power motor that regulates energy consumption (between 420 and 1,500W) and provides a maximum air output speed of 325 km/h that dries your hands between 10 and 15 seconds.

**machflow®**  
THE HAND DRYER OF THE FUTURE.

MACHFLOW PLUS	
Machflow Satin finish	<b>M09ACS</b>
SPARES AVAILABLE	
Replacement HEPA	<b>RC9452009SMD</b>



**MACHFLOW  
INTRODUCTION**

New air concentrator nozzle helps to channel the airflow better towards hands. The narrower opening of the concentrator gives the airflow greater pressure on exit, boosting its speed and thus, making the hand drying process much more efficient.

## DUALFLOW® PLUS

**FAST. QUIET. GREEN.**  
The hand dryer of the future.

Designed for high traffic, this new generation dryer ensures clean and dry hands in seconds. With advanced design and state-of-the-art technology, the Dualflow® Plus 'hands in' dryer consumes up to 70% less energy than most dryers and eliminates water waste on the floor.


**dualflow® plus**



DUALFLOW PLUS HAND DRYER	
White unit	<b>M14A</b>
Silver unit	<b>M14ACS</b>
Black unit	<b>M14AB</b>
SPARES AVAILABLE	
Replacement HEPA Filter for M14 with Plastic Grill	<b>RCFILTERHEPA1</b>
Dualflow Mediclinics Motor	<b>C9111003SMD</b>
Mediclinics Sensor Set includes PC Board	<b>RC9121012SMD</b>

## HEPA FILTER

The optional HEPA FILTER suspends solid particles like pollen, dust mites, cigarette smoke etc., notably improving the air quality.





# VIKAN TRANSPORT

The Vikan Transport range meets your cleaning needs for all types of commercial vehicles, including:

- Tour buses and coaches
- Commercial trucks
- Train carriages
- Aircraft

## CHAPTER

# 10

Commercial Vehicle Cleaning	124
Handles	126

# COMMERCIAL VEHICLE CLEANING

## VIKAN TRUCK WASHING SOLUTION

Safe, effective and efficient truck washing cleaning tools can be used as water-fed brushes with a selection of Vikan telescopic handles.

Hard Rim Brush - 525352

The Vikan Transport Concept utilises split bristles for exceptional water retention capabilities. This enables water saving whilst cleaning, as well as gentle contact with vehicle paint and decals. The split bristles retain water and soap to a much greater extent than regular bristles – allowing greater areas to be cleaned. This ensures that stubborn dirt and residue is removed, but not vigorous enough to damage or remove vehicle decals and paint jobs.

Waterfed Washing Broom - 475552



BODY BRUSH



524652 | 320mm (SF) (S)

SOFT RIM BRUSH




525252 | 290mm (SF) (S)

HARD RIM BRUSH



525352 | 335mm (H)

HEAVY DUTY RIM BRUSH



545252 | 240mm (S)

WATERFED WASHING BROOM



526852 | 250mm (SF) (S)

WATERFED WASHING BROOM



475552 | 270mm (SF) (S)

WATERFED WASHING BROOM



475752 | 370mm (SF) (S)

HI-LOW WASHING BROOM



524752 | 280mm (SF) (S)

WIPE 'N SHINE SQUEEGEE



707752 (250mm) Threaded handle  
707852 (350mm)  
707952 (450mm)

NAIL BRUSH



644052 (H)

HEAVY DUTY WATERGUN



93249  
Requires 0712 (See page 63)

HEAVY DUTY HOSE PIPE



20 Bar / 70°C  
93389 / 15m – Non-food Grade



# HANDLES



CLICK-FIT NOZZLE

297152C - 1060 - 1600mm

29379 - 1510mm

297552 - 1575 - 2780mm

297352Q - 1600 - 2780mm

Requires hose coupling  
Code: **0701**



## HANDLES

### WATERFED TELESCOPIC HANDLE

**297152C** | 1060 - 1600mm

With Click-Fit Nozzle

### STANDARD HANDLE 15

**29379** | 1500mm

Aluminium

### TELESCOPIC HANDLE

**297552** | 1590 - 2800mm

Aluminium

### WATERFED TELESCOPIC HANDLE

Ø31mm / 6 Bar

**297352Q** | 1600 - 2840mm

With Male Q-Coupling



### WINDSCREEN SCRAPER

**473952** | 200mm

Telescopic Handle 710 - 1250mm

Waterfed Telescopic Handle - 297352Q  
With Male Q-Coupling

# OUR SPECIALIST PARTNERS

## INTERNATIONAL QUALITY & STANDARDS OF HYGIENE INNOVATION



Based in Denmark, Vikan manufactures the most comprehensive system in the world created for manual cleaning and food handling.

**toolflex**

The Toolflex System is a range of simple, flexible tool holders for easy storage of handled tools and other items in most settings. Toolflex is the obvious solution when you need to store a large number of items in a small place.



BLÜCHER® offers drainage systems for all applications such as customised floor drains, roof drains, drainage pipes and drainage channels.



Manufactured and imported from Italy, Ecodora's wide range of high-quality industrial hose reels and hoses are as effective as they are easy to use.



ROSER is a world leader in the design and manufacture of machinery, equipment and facilities for the food industry and especially the meat industry.



The quality of its research and development department has earned IPC a place at the top of the international markets.

**dualflow**plus

A fast, quiet and green hand dryer with advanced hygiene functions in order to combat microbial growth.



Lagafors® Systems, enables the food industry to obtain ultimate hygiene at reduced cost and environmental impact, in a good working setting.



The CleanAccess goal is to create innovative solutions and products that significantly affect the increase of hygiene standards in the food industry in being flexible in their activities.

**plum**

All Plum products are made with a single aim – to create the best possible hand hygiene.



# FAQ

## Pescatech® pricing?

Pricing is available on request. Please ask your representative for our pricelist. All prices exclude VAT and delivery charges and are subject to change without prior notice.

## Why are the products more expensive than its competitors?

Our products offer a return on investment and the cost of ownership varies greatly. Great care has also been given to the ergonomic design and use of the products in various industries for ease of use and to minimise fatigue on the body. Our products will outlast any other product.

## How do I order?

All orders are to be placed in writing (fax or email). Orders must include: Order number, delivery address and contact details of the person receiving the order. You can also place orders on our website, [www.pescatech.co.za](http://www.pescatech.co.za). Our website is not yet operating as an e-commerce platform, but all products, colours and quantities can be specified and submitted to us online and our sales team will send you a quotation and an order can be confirmed by manual EFT.

## How does delivery work & when can I expect my goods to arrive?

Goods will be dispatched within 48 hours of receiving the order, provided that the order reaches us before 12:00 and that payment terms have been adhered to. Cape Town clients will receive their order within 24 hours and national clients within 72 hours, of goods being dispatched. Outlying areas may experience a delay in delivery.

## Can I collect my order directly or use my own courier company?

Clients are also welcome to collect orders directly from Pescatech® (kindly confirm that your order is ready before pick up) or can use their own courier company (simply give us the courier account number and we will arrange for collection).

## Preparing your order for return:

To ensure the request for an exchange, refund or credit note is processed within reasonable time, the customer is responsible for the following:

- The product is to be packaged securely to be transported back to Pescatech
- All products are to be in its original packaging as received upon delivery
- The products are to be accompanied by a copy of the tax invoice

Failure to adhere to any of the above requirements could result in a delay in the processing of the request or result in a decline altogether.

## What is the returns policy?

Returns need to be in their original packaging and condition and will be subject to a discretionary 10% handling fee. No goods will be credit noted if returned after 14 days.

## What are the payment terms?

Payment terms are strictly CAD (cash against delivery) or 30 days from statement, once a credit approved account has been opened.

## 1. Product Exchange / Unwanted products

Should the customer want to return product for an exchange, product swap or credit note of unwanted items, there will be a 10% handling fee applicable for products being returned after 14 calendar days from date of delivery, and it is the responsibility of the customer to transport the product to the Pescatech® warehouse or cover the costs of the courier collection.

- Products are to be undamaged, unused, and in its original resealable packaging.
- Authorisation is to be received from the account holder for the return to advance
- Once stock is received by the warehouse, the credit note or exchange will be prepared

A return of products will only be accepted for credit / refund within 30 days from the invoice date. No credit will be passed for items being returned later than 30 days.

## 2. Incorrect Product received

Should the customer receive items not corresponding to the purchase order submitted, Pescatech® is happy to return the products at no cost to the customer.

- Products are to be undamaged, unused, and in its original packaging
- The error in the order being received is to be acknowledged with the Hygiene Consultant/SSA within 48 hours from date of delivery
- The product being uplifted is to be accompanied with a copy of the tax invoice

## 3. Product damaged on delivery

- If product is damaged upon delivery, the Hygiene Consultant /SSA is to be notified and accompanied by a digital image of the
- damaged product, within 48 hours of delivery of the order.
- The damage will be investigated, and should the product be deemed damaged in transit/manufacturing fault, Pescatech® will be responsible to uplift the damaged product at no cost to the customer, and a credit note or exchange will follow

## 4. Product Defect

Should the customer experience irregular defects with the product or use thereof, the customer is expected to submit a product complaint form (if applicable) to the Hygiene Consultant /SSA with all required information attaining to the defect in product. The Hygiene Consultant /SSA will submit the complaint and a suitable resolution will be communicated to the customer within a reasonable time. It is at the discretion of Pescatech® and the suppliers to elect the resolution, subject to the determined source of damage

# VIKAN ZONE PLANNER



If you have a factory audit scheduled for the near future, you'll naturally want to satisfy auditors and earn a stamp of approval for your hygiene operations.

A Vikan Site Survey is a great way to improve the certainty of passing – and in fact to move beyond just passing audits to getting ahead of the field as a hygiene leader. A Site Survey involves a thorough inspection of your plant with a view to identifying and solving hygiene problems before the auditors find them.

## 7 great reasons why you should schedule a Vikan Site Survey today:

- Improve and standardise your hygiene setup
- Get a complete overview of your cleaning tools
- Implement a colour coding plan/update the existing one
- Prepare more effectively for audits
- Rationalise your cleaning tool deployment
- Solve specific cleaning challenges
- Move hygiene further up the agenda at your plant!



## Your Site Survey Report includes

- Survey summary
- Location overview
- Factory layout colour coding plan
- Vikan recommendations
- Suggested order form
- Follow-up survey proposal







HACCP COMPLIANT

